

Customer Quote



Pella Corporation
pella.com

Advanced Home Exterior, LLC


[Redacted]

[Redacted]

Distributed by: [Redacted]

Customer Name	Deliver To Address	Order Information
[Redacted] [Redacted] Primary		Estimated Delivery Date: 09/02/2024 Order Number: P24 Quote Number: 18528974 Final Wall Depth: Customer PO:

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
--------------	--------	-----	-------------	------------	-------------



10

2

Lifestyle, Quad Sliding Door, Contemporary,, Fixed / Vent Left / Vent Right / Fixed, 140.125 X 79.5, Without HGP, Black

\$5,790.22

\$11,580.44

1: 14180 Fixed / Vent Left / Vent Right / Fixed Quad Sliding Door

General Information: No Package, Without Hinged Glass Panel, Factory Assembled, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold

Exterior Color / Finish: Standard Enduraclad, Black

Interior Color / Finish: Black Stain Interior

Glass: Insulated Tempered Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude

Hardware Options: No Footbolt, Keylock Included, Standard, Handle Included, Handle Included, Matte Black, Black, No Integrated Sensor

Screen: Sliding Screen, Black Metal Interior Black Exterior, Matte Black, InView™

Performance Information: U-Factor 0.26, SHGC 0.27, VLT 0.51, CPD PEL-N-230-00097-00001, Performance Class R, PG 20, Calculated Positive DP Rating 20, Calculated Negative DP Rating 20

Grille: No Grille,


Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length = 440".

Location: None Assigned

Rough Opening 141.125" X 80"

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
--------------	--------	-----	-------------	------------	-------------



	15	5	Lifestyle, 2-Wide Casement, 70 X 53, Without HGP, Black	\$1,673.07	\$8,365.35
--	----	---	--	-------------------	-------------------

1: 3553 Left Casement

Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"

Exterior Color / Finish: Standard Enduraclad, Black

Interior Color / Finish: Black Stain Interior

Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude

Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor

Screen: Full Screen, Black, InView™

Performance Information: U-Factor 0.27, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00733-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, STC 25, OITC 22, Clear Opening Width 25.25, Clear Opening Height 48.875, Clear Opening Area 8.570095, Egress Meets Typical 5.7 sqft (E) (United States Only)

Grille: No Grille,

2: 3553 Right Casement

Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"

Exterior Color / Finish: Standard Enduraclad, Black

Interior Color / Finish: Black Stain Interior

Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude

Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor

Screen: Full Screen, Black, InView™

Performance Information: U-Factor 0.27, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00733-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, STC 25, OITC 22, Clear Opening Width 25.25, Clear Opening Height 48.875, Clear Opening Area 8.570095, Egress Meets Typical 5.7 sqft (E) (United States Only)

Grille: No Grille,


Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 246".

Location: None Assigned

Rough Opening 70.75" X 53.75"

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
--------------	--------	-----	-------------	------------	-------------



	20	3	Lifestyle, Awning, Vent, 35 X 35, Without HGP, Black	\$714.18	\$2,142.54
--	----	---	---	-----------------	-------------------

1: 3535 Vent Awning

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"

Exterior Color / Finish: Standard Enduraclad, Black

Interior Color / Finish: Black Stain Interior

Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude

Hardware Options: Large Awning Hardware, Fold-Away Crank, Matte Black, No Limited Opening Hardware, No Integrated Sensor, Sill

Screen: Full Screen, Black, InView™

Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.50, CPD PEL-N-37-00778-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, STC 25, OITC 22, Egress Not Applicable


Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 140".

Location: None Assigned

Rough Opening 35.75" X 35.75"

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	25	1	Lifestyle, Casement Left, 35 X 53, Without HGP, Black 1: 3553 Left Casement Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.27, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00733-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, STC 25, OITC 22, Clear Opening Width 25.25, Clear Opening Height 48.875, Clear Opening Area 8.570095, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 176".	\$816.98	\$816.98

Location: None Assigned

Rough Opening 35.75" X 53.75"

Outside View	Line #	Qty	Description	Item Price	Ext'd Price
	30	1	Lifestyle, Casement Left, 35 X 47, Without HGP, Black 1: 3547 Left Casement Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.27, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00733-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, STC 25, OITC 22, Clear Opening Width 25.25, Clear Opening Height 42.875, Clear Opening Area 7.518012, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 164".	\$767.72	\$767.72

Location: None Assigned

Rough Opening 35.75" X 47.75"

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella® products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella® products and proper management of moisture within the wall system. Neither Pella Corporation nor the branch will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen® [or any other accessory] to the product. You should consult your local building code to ensure your Pella® products meet local egress requirements.

Customer Signature

Pella Contractor Signature

Date

Date

Order Totals	
Taxable Subtotal	\$23,673.03
Sales Tax	\$0.00
Non-taxable Subtotal	\$0.00
Total	\$23,673.03

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com